



Parkland Performance™
WALLS & CEILINGS



**COMMERCIAL
RESIDENTIAL**

**HEALTHCARE
RESTAURANT & HOSPITALITY
GENERAL CONSTRUCTION**




WALL & CEILING

**Solutions THAT keep you...
Safe, Green and ON Budget!**

Parkland™ Plastics is an industry leader in durable wall, ceiling, and flooring products. Whether you are looking to replace your ceiling tiles with a waterproof solution, protect your walls against day to day damage, or install a durable flooring product, Parkland is your one stop solution!

PARKLAND™ Wall Coverings



NRP®/POLYWALL™ (PLAS-TEX®) WALL PANELS

- 100% Waterproof
- Fiberglass Free - VOC Free
- Does not Support Mold, Mildew, or Bacteria Growth
- USDA Compliant/CFIA Approved
- Easy Installation - Can Be Scored With Utility Knife and Snapped
- Recycled, Recyclable
- Class C (Per ASTM E-84)

NRP® - Cracked-Ice

Product Range*

Bright White, Almond
.090", 4' x 8', 10'

POLYWALL™ - Matte


Product Range*

Bright White, Almond
.060", 4' x 8', 10'

*Other sizes available by Special Order.

Matching moldings available

TYPICAL APPLICATIONS: Restaurant Kitchens, Laundromats, Gyms, Locker Rooms, Showers.
Parkland Recommends PARKLAND PANEL ADHESIVE for Installing NRP/POLYWALL.



NRP-FR CLASS A SANITARY WALL PANELS

- 100% Waterproof
- Easy to Clean
- Impact and Scratch Resistant
- Easy to Install
- Class A (Per ASTM E-84)
- Dual Certification ICC-ES Research Report #3117

NRP-FR

Product Range

NuMatte Texture - .090"

White & Almond 4' x 8', 10'

Khaki & Monterey* 4' x 8'

Product Range

White Cracked-Ice - .090", 4' x 8', 10'

White Stucco - 2mm, 4' x 8'

*Call Parkland for Monterey product levels.

Matching moldings available

TYPICAL APPLICATIONS: Wainscoting for Healthcare and Public Buildings, Wall Paneling for Patient Rooms and Bathrooms, Kitchens.

Parkland Recommends PARKLAND PANEL ADHESIVE for Installing NRP-FR.



FRP WALL PANELS

- Performance Proven
- Waterproof
- Easy to Maintain
- Cracked-Ice Texture
- Pass ASTM D5319
- Class A & C (Per ASTM E-84)

FRP WALL PANELS

Product Range

Class A - Cracked-Ice

White: .070" x 4' x 8', 9'

Class C - Cracked-Ice

White: .090" x 4' x 8', 9', 10', (12' Special order)

Almond & Gray: 4' x 8', 9'

Class C - Smooth

White: 1.8 mm x 4' x 8', 9', 10'

Matching moldings available


TYPICAL APPLICATIONS: Restaurants, Schools, Hospitals, Hotels, Gyms and Fitness Centers, Grocery Stores, Convenience Stores, Offices and Warehouses.

Parkland Recommends PARKLAND PANEL ADHESIVE for Installing FRP.



BUILDING GREEN: Excelling beyond Recycling & Reusing, Parkland Plastics developed a proprietary technology for converting post-industrial scrap into USDA compliant PLAS-TEX®. It is the first and only all-plastic sheet made of 100% recycled resins, saving millions of pounds of non-biodegradable plastic from landfills. In addition to Building Green, satisfied customers save money by using durable products and reducing maintenance.

Laminated Wall Products



DURO-LAM LAMINATED PANELS


- 100% Waterproof PLAS-TEX® Laminated on OSB or Plywood
- Industrial Strength Structural Panel
- 2-sided Laminate for Partitions
- 1-Step Installation - Span 16" Between Wood/Metal Studs or Girders, Metal Purlings 24"

DURO-LAM	
Product Range	
White: Textures -	Matte, Silk, Cracked-Ice*
On Plywood:	5/16", 4' x 8', 10' 3/8", 4' x 8'
On OSB:	3/8 x 4' x 8', 10', 12**

*Other thicknesses & lengths available by Special Order.
 **12' length available by Special Order.
 Matching moldings available

TYPICAL APPLICATIONS: Animal Confinement, Food Processing, Commercial Kitchens, Industrial Wall Coverings, Portable Classrooms and Offices.

Install Directly Over Studs or Unfinished Walls With Cartridge Style Construction Adhesive.



DURO-THERM™ INSULATING LAMINATED PANELS

- 100% Waterproof
- Easy Installation - Span 16" Between Studs, Lightweight
- Bridges Cracks, Grout Lines and Uneven Walls

DURO-THERM	
Product Range	
White	
Matte, Silk, Cracked-Ice	
5/16", 4' x 8', 10', 12**	
15/32", 4' x 8', 10', 12**	

*12' length available by Special Order.
 Matching moldings available

TYPICAL APPLICATIONS: Restaurants, Convenience Stores, Car Washes, Laboratories, Factories.

Install Directly Over Studs or Unfinished Walls With Cartridge Style Construction Adhesive.



INSULEX INSULATING LAMINATED PANELS

- UL Listed Based on Room Corner Burn NFPA 286
- Use for Ceilings and Walls
- Install Directly Over Studs and Purlings
- R5 Insulation Value
- Moisture Resistant
- Does not Support Mold, Mildew, or Bacterial Growth

INSULEX	
Product Range	
Wall Panels* White	
Smooth - 1" x 4' x 8', 10' & 2" x 4' x 8', 10'	
Ceiling Panels* White	
Smooth - 2" x 2', 4' & 1" x 2' x 2', 4'	
Matte - 2" x 2', 4' & 1" x 2' x 2', 4'	
Cracked-Ice - 2" x 2', 4' & 1" x 2' x 2', 4'	

*Other colors, textures, thicknesses & lengths available by Special Order.
 Matching moldings available

TYPICAL APPLICATIONS: Over stud walls where insulation and fire containment are important.

Install using screws and metal moldings.



Mold and its fungal family cause billions of dollars in facility damage each year. Once mold is established in building materials, the building is susceptible to suffer from structural degradation. Some molds and bacteria produce harmful toxins that can cause respiratory dysfunctions and may lead to further health ailments. The best way to prevent mold, mildew, and bacterial problems is to build using completely waterproof materials.

NEW Specialty Product

Parkland TPO Flooring

Parkland is an industry leader in durable flooring products. Parkland TPO Flooring is a waterproof, durable, slip resistant flooring that is perfect for cargo trailers, tractor trailer flooring, bus flooring, garage flooring, or even home gym flooring! Available in 200' rolls that are 8' wide or in smaller cuts*, Parkland TPO is the perfect durable solution for any area where you need extra protection for your floor!

*Pieces must be purchased in full roll increments.




Cargo Van Interior

- 100% Waterproof, Mold and Mildew Resistant
- Recycled/Recyclable
- Fiberglass Free
- Durable
- Provides Great Traction
- Scrim Applied to Back so Glue Adheres Well to Both the Laminate and the Substrate!
- Flammability: FMVSS302 Approved – Hardness (ASTM D2240) - 46


TYPICAL APPLICATIONS: Cargo trailers, utility rooms, durable wall panels, floor protection.

TPO FLOORING	
Product Range	
Available in Gray & Black	
Textures: Diamond Plate, Coin & Levant	
Size: 200' roll x 96" wide x 0.145" thick	

Different size rolls and sheets available with minimum order quantities. Contact customer service for more information.



Diamond Plate Black



Diamond Plate Gray



Coin Black



Coin Gray



Levant Black



Levant Gray



Gym Flooring

Specialty Products

DURO-BASE WALL PROTECTION SYSTEM



- 100% Waterproof
- Mold & Mildew Resistant
- Sanitary & Hygienic
- Undamaged by Carts, Cleaners, Chemicals
- Industrial Strength, Long Lasting Look
- Solid Color Penetration (Excluding Laminate)
- Economic, Permanent Solution in Public Areas
- Other Profile Designs Available by Special Order. Tooling Charge and Minimums May Apply.

DURO-BASE/ Smooth

Product Range

FLAT-BASE/with Reveal*

Black, Gray, White

5/8" x 4", 6", 10", 12" x 96"

FLAT-BASE*

Same colors as Flat-Base/with Reveal:

1/4" x 4" x 96" and 3/8" x 5", 10" x 144"

SPEED-BASE*

Same colors as Flat-Base: 5/8" x 3-5/8" x 8'

DURO-BASE CHAIR RAIL*

Product Range

Black, Gray, White

5/8" x 3" x 8'

*Other sizes and colors available with minimum order.

TYPICAL APPLICATIONS: Healthcare Facilities, Lodging, Restaurants, Office Buildings and Retail.
Install With Double-faced Tape Provided by Parkland, or With Countersunk Screws.



POLYMAX WAINSCOT®

- 100% Waterproof Paneling & Trim
- Paintable Reversible Planks
- Matching Protective Moldings
- Mold & Mildew Resistant
- Extremely Durable
- Easy to Install
- UV Resistant
- Washable and Scrubbable
- Flame Retardant

REVERSABLE VINYL PLANK

Product Range

White

1/4" x 6" x 36", 6 planks per package

1/4" x 6" x 96", 3 planks per package

CHAIR RAIL & BASEBOARD

Product Range


1 each per kit:* White

Chair rail: 2" x 96"

Baseboard: 3.5" x 96"

*1 kit per 2 pks of 36" or 1 kit per 5pks of 96" planks.

TYPICAL APPLICATIONS: Laundry room, bathrooms, dining rooms, residential wall applications, ceilings, restaurants and offices.



Ceiling Tile & Adhesives



SPECTRATILE® CEILING TILES

- 100% Guaranteed not to Water Spot
- Resists Mold, Mildew & Bacteria Growth
- Scrubbable & Washable
- Will not Flake, Break, Bow, Swell or Rot
- Cut Tiles Easily With a Circular Saw, Hole Saw, or Router
- Flame Retardant

SPECTRATILE Product Range

All tiles available in 2' x 2' and 2' x 4' sizes.



Special sizes available upon request.
Other colors available by Special Order. Call for samples.

TYPICAL APPLICATIONS: Restaurants, Kitchens, Laundromats, Locker Rooms, Showers, Commercial Hotels & Motels, Public Buildings, Schools. INSTALLATION: Tiles Fit any Standard Grid System.



PARKLAND™ PANEL ADHESIVE

- The Panel Adhesive That You Trowel on the Wall
- High Strength Adhesive for Installing Parkland Panels
- Freeze-Thaw Stable
- Wall Covering Can Be Repositioned During Installation
- Heat Resistant to 150 Degrees F
- Spreads Easily

PARKLAND PANEL ADHESIVE Product Range

2 gallons & 5 gallons

- Typical Coverage 125/sf Per Gallon
- Non-flammable
- No VOC Content
- Easy Water Clean Up



SEAL BOND™ 105

- Very High Strength Panel Adhesive
- Excellent Green Strength
- Ultra Low VOC's
- 100% Polyurethane
- Use With Self-Supporting Panels
- Typical Coverage 1.5 Panels

SEAL BOND™ 105

Product Range

10.3 oz caulk tubes

For Free Samples
CALL 800-835-4110

SOLVE YOUR CEILING & WALL PROBLEMS WITH PARKLAND'S PROVEN SOLUTIONS

“ Parkland Plastics is the industry leader in sustainable, durable, and waterproof wall, ceiling and flooring products. Regardless of the type of facility, Parkland has a solution that will reduce the need for repeated repairs! Parkland’s SPECTRATILE® Waterproof Ceiling Tiles are perfect for any facility with a drop ceiling.

Parkland Plastics Wall Panels are the perfect protective barrier to any wall! They are durable and available in a variety of colors and designs. Adhere them over your existing walls, and they will take the beatings that the wall behind them cannot. Add in Parkland’s DUROBASE for a complete system of protection! Please look over the contents of this folder, and feel free to visit our website at www.parklandplastics.com or call us at 1-800-835-4110 for more information! ”

Go to www.parklandplastics.com/where-to-buy/ and find out where to purchase our products.



PRODUCT CERTIFIED
FOR LOW CHEMICAL
EMISSIONS:
UL.COM/GG
UL 2818

GREENGUARD Certified Products: DURO-BASE, NRP®, NRP-FR,
POLYMAX Wainscot®, POLYWALL™ and SPECTRATILE®

Detailed product information and installation instructions are available on Parkland’s website listed below.

Toll Free: 800.835.4110 ■ Phone: 574.825.4336 ■ Website: www.parklandplastics.com



Parkland Performance™
WALLS & CEILINGS

1/2024